

# Blue poison frog

*Dendrobates tinctorius* "Azureus"



Sipiliwini valley  
Surinam



**Distribution:** Sipiliwini river valley, in Surinam

**Habitat:** The savannah valley of Sipiliwini is filled with pockets of remnant forest that lies along the edges of the Sipiliwini river, here amongst the boulders, the frogs make there homes.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT EVALUATED DATA DEFICIENT  
NEAR THREATENED VULNERABLE ENDANGERED CRITICALLY ENDANGERED EXTINCT IN THE WILD EXTINCT

NE DC NT VU EN CR EW EX

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk) 

# Sipiliwini dyeing poison frog


*Dendrobates tinctorius* "Green Sipiliwini"

Sipiliwini valley  
Surinam

**Distribution:** Sipiliwini river valley, in Surinam

**Habitat:** The savannah valley of Sipiliwini is filled with pockets of remnant forest that lies along the edges of the Sipiliwini river, here amongst the boulders, the frogs make there homes.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT EVALUATED	DATA DEFICIENT	LEAST CONCERN	NEAR THREATENED	VULNERABLE	ENDANGERED	CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
NE	DD	LC	N1	V1	E1	CR1	EW	EX

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk)



# Sipiliwini dyeing poison frog

*Dendrobates tinctorius* "Blue Sipiliwini"

Sipiliwini valley

Surinam

**Distribution:** Sipiliwini river valley, in Surinam

**Habitat:** The savannah valley of Sipiliwini is filled with pockets of remnant forest that lies along the edges of the Sipiliwini river, here amongst the boulders, the frogs make there homes.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT EVALUATED	DATA DEFICIENT	<b>LEAST CONCERN</b> LC	NEAR THREATENED	VULNERABLE	ENDANGERED	CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
NE	DD	LC	NT	VU	EN	CR	EW	EX

# Alanis dyeing poison frog

*Dendrobates tinctorius "Alanis"*

**Distribution:** Originating in Surinam the exact location is unconfirmed.

**Habitat:** Open areas of secondary and some primary forests, where they can be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl

Surinam



[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk)






# Surinam dyeing poison frog

*Dendrobates tinctorius* "Cobalt"

Surinam



**Distribution:** Originating in Surinam this variant is quite variable over its range.

**Habitat:** Open areas of secondary and some primary forests, where they can be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT EVALUATED	DATA DEFICIENT	<b>LEAST CONCERN</b> LC	NEAR THREATENED	VULNERABLE	ENDANGERED	CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
NE	DD	LC	N7	VU	EN	CR	EW	EX

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk)



# Surinam dyeing poison frog

*Dendrobates tinctorius "Robertus"*

Surinam



**Distribution:** Originating in Surinam this variant is quite variable over its range.

**Habitat:** Open areas of secondary and some primary forests, where they can be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



LEAST  
CONCERN  
LC

NOT EVALUATED DATA DEFICIENT NEAR THREATENED VULNERABLE ENDANGERED CRITICALLY ENDANGERED EXTINCT IN THE WILD EXTINCT

NE

DD

NT

VU

EN

CR

EW

EX

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk)





# Pic Matécho dyeing poison frog

*Dendrobates tinctorius "Matecho"*

Central   
French Guiana

**Distribution:** French Guiana, in the lowland foothills of Matécho mountain.

**Habitat:** Often found in the vicinity of the many streams descending from the mountains, hiding amongst the rocks and the large fallen leaves they are usually encountered on the ground but have been known to climb up to 5m.

**Size:** A large dendrobatid frog, 50-57mm



NOT EVALUATED NE	DATA DEFICIENT DD	 <b>LEAST CONCERN</b> LC	NEAR THREATENED NT	VULNERABLE VU	ENDANGERED EN	CRITICALLY ENDANGERED CR	EXTINCT IN THE WILD EW	EXTINCT EX
---------------------	----------------------	---	-----------------------	------------------	------------------	-----------------------------	---------------------------	---------------

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk) 

# La Fumeé dyeing poison frog

*Dendrobates tinctorius "La Fumeé"*

**Distribution:** French Guiana, in the lowland foothills close to Saul.

**Habitat:** Often found in the vicinity of the many streams descending from the mountains, hiding amongst the rocks and the large fallen leaves they are usually encountered on the ground but have been known to climb up to 5m.

**Size:** A large dendrobatid frog, 50-57mm



NOT EVALUATED NE	DATA DEFICIENT DD	<b>LEAST CONCERN</b> LC	NEAR THREATENED NT	VULNERABLE VU	ENDANGERED EN	CRITICALLY ENDANGERED CR	EXTINCT IN THE WILD EW	EXTINCT EX
---------------------	----------------------	----------------------------	-----------------------	------------------	------------------	-----------------------------	---------------------------	---------------

The 'LEAST CONCERN' (LC) category is highlighted with a red circle and a white arrow pointing to the right.



# French Guiana dyeing poison frog

*Dendrobates tinctorius* "Nominat"

French Guiana

**Distribution:** Wideley distributed over French Guiana.

**Habitat:** Open areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT  
EVALUATED

DATA  
DEFICIENT

LEAST  
CONCERN

LC

NEAR  
THREATENED

VULNERABLE

ENDANGERED

CRITICALLY  
ENDANGERED

EXTINCT  
IN THE WILD

EXTINCT

NE

DD

LC

NT

VU

EN

CR

EW

EX

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk)



# Tumucumaque dyeing poison frog

*Dendrobates tinctorius* "Tumucumaque"


**Distribution:** Found within the Amapá Biodiversity corridor, the exact location is still unconfirmed.

**Habitat:** Open areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT EVALUATED DATA DEFICIENT **LEAST CONCERN** LC NEAR THREATENED VULNERABLE ENDANGERED CRITICALLY ENDANGERED EXTINCT IN THE WILD EXTINCT





# Citronella dyeing poison frog

*Dendrobates tinctorius* "Citronella"

**Distribution:** Original location in Surinam has seen huge population declines however a second population in a nearby valley appears healthy.

**Habitat:** Open areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** This morph is one of the largest of all poison frogs vying with *Phyllobates terribilis* and *Ameerega trivittata* as the biggest of the family reaching 55mm-58mm



NOT EVALUATED	DATA DEFICIENT	LEAST CONCERN	NEAR THREATENED	VULNERABLE	ENDANGERED	CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
NE	DD	LC	NT	VU	EN	CR	EW	EX

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk) 

# Patricia dyeing poison frog

*Dendrobates tinctorius* "Patricia"

**Distribution:** Either side of the Brazilian Surinam border, although exact location is unknown.

**Habitat:** Areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT EVALUATED	DATA DEFICIENT	 <b>LEAST CONCERN</b> LC	NEAR THREATENED	VULNERABLE	ENDANGERED	CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
NE	DD	LC	NT	VU	EN	CR	EW	EX



# Brazilian dyeing poison frog

*Dendrobates tinctorius* "Brazilian yellow head"

**Distribution:** Found only in Brazil, believed to be found near the tributaries of the Rio Paru Deste.

**Habitat:** Areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



Northern Brazil



[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk) 

# Villa Nova dyeing poison frog

*Dendrobates tinctorius* "Villa Nova"

**Distribution:** Found only in Brazil, collection data references an area close to Oximiná.

**Habitat:** Areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



Oriximina Brazil

NOT EVALUATED	DATA DEFICIENT	<b>LEAST CONCERN</b> LC	NEAR THREATENED	VULNERABLE	ENDANGERED	CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
NE	DD	LC	NZ	VU	EN	CR	EW	EX

RED LIST

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk) 



# Lorenzo dyeing poison frog

*Dendrobates tinctorius* "Lorenzo"

**Distribution:** Found only in Brazil, close to the town of Lourenço in Calçoene district.

**Habitat:** Areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



Northern Brazil



[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk) 

# Nikita's dyeing poison frog

*Dendrobates tinctorius* "Nikita"

**Distribution:** Found in Surinam at the borders with Brazil and French Guiana.

**Habitat:** Areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



NOT EVALUATED	DATA DEFICIENT	<b>LEAST CONCERN</b>	NEAR THREATENED	VULNERABLE	ENDANGERED	CRITICALLY ENDANGERED	EXTINCT IN THE WILD	EXTINCT
NE	DD	LC	NT	VU	EN	CR	EW	EX



# Yellow back dyeing poison frog

*Dendrobates tinctorius* "Monts Atachi Bakka"

**Distribution:** Found in Surinam at the borders with Brazil and French Guiana.

**Habitat:** Areas of secondary and some primary forests, where they can often be found in the sun patches created by fallen trees.

**Size:** Large for Dendrobatid frogs 45mm - 50mm svl



Surinam?



LEAST CONCERN

LC

NEAR THREATENED VULNERABLE ENDANGERED CRITICALLY ENDANGERED EXTINCT IN THE WILD EXTINCT

NT

VU

EN

CR

EW

EX

[www.fantasticfrogs.co.uk](http://www.fantasticfrogs.co.uk) 